



# Corrections and Community Supervision

ANDREW M. CUOMO  
Governor

ANTHONY J. ANNUCCI  
Acting Commissioner

## ADDENDUM #1

April 4, 2019

Invitation For Bid

### IFB #2019-08 - Hg5 Amalgam Separator Filter Cartridges

---

IFB 2019-08 is amended as follows:

Page 15: METHOD OF AWARD- language is being replaced in it's entirety with the following:

*“Award shall be made by **GRAND TOTAL** to the lowest responsive and responsible bidder.”*

Page 15: PRICE - the following language is added to this section:

*“Replacement filters must be supplied with a postage-paid mailer for return and proper disposal in accordance with EPA guidelines.”*

Page 23: BID PRICE PAGE - is being replaced in it's entirety with the attached REVISED BID PRICE PAGE. Bidders must submit their response on the attached REVISED BID PRICE PAGE.

All other information contained in this IFB remains unchanged.

**This Addendum must be signed and returned with your bid submission.**

**“Accepted and Agreed To”:**

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Date

\_\_\_\_\_  
Name

\_\_\_\_\_  
Title

**Please note:**

It is the responsibility of potential bidders to regularly monitor the following websites where any updates or information regarding the IFB will be posted:

NYS Contract Reporter: <http://www.nyscr.ny.gov>

DOCCS: <http://www.doccs.ny.gov/RFPs/rfps.html>

PLEASE USE BLACK INK OR TYPEWRITER WHEN PREPARING YOUR BID. BE SURE YOU HAVE INSERTED YOUR COMPANY'S NAME IN THE BOX

Bidder
--------

⇒ ⇒ ⇒ ⇒ ⇒ ⇒ ⇒ ⇒ ⇒

## REVISED BID PRICE PAGE

**Item Description:**

- Amalgam Separator Filter Cartridges (Hg5-002CR – Hg5 Collection Container w/Recycle Kit, manufactured by SolmeteX). Replacement filters must be supplied with a postage-paid mailer for return and proper disposal in accordance with EPA guidelines.

<b>Price Each</b>		<b>Annual Estimated quantity**</b>		<b>*Grand Total (Annual)</b>
\$ _____	<b>x</b>	<b>66</b>	<b>=</b>	\$ _____

Additional Requirement:

- A copy of the current manufacturer published price list must be submitted with the bid.

\*See Method of Award on Page 15.

\*\*Note: The number of Amalgam Separator Filter Cartridges above is an estimated annual need and is being provided as an example only. There is no guarantee of the number of filter cartridges that will be required.